THIS CERTIFIES THAT Cerezo - Apartamentos 39m2 18 Units HAS ACHIEVED AN **EDGE PRELIMINARY CERTIFICATE**

CERTIFICATE NUMBER LP9-COL-21042010106696-18-P

> **Exemplifying achievement in the** following areas:

> > 21%

Energy Savings



36%

Water Savings

58%

Less Embodied Energy in Materials

0.58 tCO₂/unit/year **Operational CO₂ Emissions**

0.27 tCO₂/unit/year **Operational CO2 Savings**

DEVELOPED BY **Constructora** Capital

CERTIFIED BY CAMACOL

manhander

Thomas Saunders, Managing Director DATE OF ISSUE: 15-JUL-2021







THIS CERTIFIES THAT

Cerezo - Apartamentos 39m2 Cl. 6A, San José, Mosquera, Cundinamarca Mosquera, Cundinamarca 250047 Colombia

DEVELOPED BY Constructora Capital

HAS ACHIEVED AN EDGE PRELIMINARY CERTIFICATE

CERTIFICATE NUMBER LP9-COL-21042010106696-18-P

WAS AUDITED BY

Daniel Bernal EDGE Software Version: v2.1.5

CERTIFIED BY CAMACOL

shaundos

Thomas Saunders, Managing Director



DATE OF ISSUE 15-JUL-2021 DATE OF EXPIRY 14-JUL-2024

ENERGY MEASURES

Reduced Window to Wall Ratio Natural Ventilation with Operable Windows and No A/C High Efficiency Boiler for Hot Water Energy-Saving Light Bulbs - External Spaces Lighting Controls for Corridors and Staircases

WATER MEASURES

Low-Flow Showerheads Low-Flow Faucets for Kitchen Sinks Low-Flow Faucets for Washbasins Single Flush for Water Closets

MATERIALS

External Walls - Honeycomb Clay Blocks with Internal & External Plaster Internal Walls - Honeycomb Clay Blocks with Plaster on Both Sides

www.edgebuildings.com

EDGE is a registered trademark of IFC. ©IFC 2021

The EDGE standard requires 20% efficiencies in energy, water and materials compared to a local benchmark. Predicted efficiencies are not a guarantee of future operational performance. Energy savings may be associated with virtual energy for comfort depending on the presence of heating and cooling systems. Virtual energy does not contribute savings to utility bills.

This certificate is issued by the Certifier based on information provided by the client and the audit by the Auditor, and is subject to the terms and conditions of the Certifier. Contact edge@ifc.org if the above measures are not consistent with your observation on the project.



