THIS CERTIFIES THAT

Olivo - Apartamentos de 58.05 m2

672 Units

HAS ACHIEVED AN

**EDGE PRELIMINARY CERTIFICATE** 

**CERTIFICATE NUMBER** 

LP9-COL-21011910100996-672-P

**Exemplifying achievement in the** following areas:

25%

**Energy Savings** 

36% **Water Savings** 

65% **Less Embodied** 

**Energy in Materials** 

Operational CO<sub>2</sub> Emissions 0.37 tCO<sub>2</sub>/unit/year

0.77 tCO<sub>2</sub>/unit/year

Operational CO<sub>2</sub> Savings

Excellence In Design For Greater Efficiencies

DEVELOPED BY

Constructora Capital Bogotá SAS

markaunder

CERTIFIED BY

**CAMACOL** 

Thomas Saunders, Managing Director DATE OF ISSUE: 25-JUN-2021

CAMACOL

**CÁMARA COLOMBIANA** 

**DE LA CONSTRUCCIÓN** 





# THIS CERTIFIES THAT

Olivo - Apartamentos de 58.05 m2 Urbanismo los Maderos - Vereda Verganzo Tocancipá, Cundinamarca Colombia

### **DEVELOPED BY**

Constructora Capital Bogotá SAS

### **HAS ACHIEVED AN**

EDGE PRELIMINARY CERTIFICATE

#### **CERTIFICATE NUMBER**

LP9-COL-21011910100996-672-P

## **WAS AUDITED BY**

Daniel Bernal

EDGE Software Version: v2.1.5

## **CERTIFIED BY**

CAMACOL

Thomas Saunders, Managing Director





Maundos

# DATE OF ISSUE 25-JUN-2021 DATE OF EXPIRY 24-JUN-2024

## **ENERGY MEASURES**

Reduced Window to Wall Ratio
Natural Ventilation with Operable Windows and No A/C
Energy-Saving Light Bulbs - External Spaces
Lighting Controls for Corridors and Staircases

### **WATER MEASURES**

Low-Flow Showerheads Low-Flow Faucets for Kitchen Sinks Low-Flow Faucets for Washbasins Single Flush for Water Closets

### **MATERIALS**

Floor Slabs - In-Situ Reinforced Concrete Slab
Roof Construction - In-Situ Reinforced Concrete Slab
External Walls - Honeycomb Clay Blocks with Internal & External Plaster
External Walls - In-Situ Reinforced Wall
Internal Walls - Honeycomb Clay Blocks with Plaster on Both Sides
Internal Walls - In-Situ Reinforced Wall

## www.edgebuildings.com

### EDGE is a registered trademark of IFC. ©IFC 2021

The EDGE standard requires 20% efficiencies in energy, water and materials compared to a local benchmark. Predicted efficiencies are not a guarantee of future operational performance. Energy savings may be associated with virtual energy for comfort depending on the presence of heating and cooling systems. Virtual energy does not contribute savings to utility bills.

This certificate is issued by the Certifier based on information provided by the client and the audit by the Auditor, and is subject to the terms and conditions of the Certifier. Contact edge@ifc.org if the above measures are not consistent with your observation on the project.



